Technical Data Sheet MiniMax® CCTV Coaxial Cable

WEST PENN WIRE



2833 West Chestnut Street Washington, PA 15301 Toll Free: (800) 245-4964 Fax: (724) 222-6420 www.westpenn-wpw.com

Mhz

db/100ft

PART NUMBER: 825

DESCRIPTION: MiniMax – 1 Conductor 25AWG Solid, 95% Bare copper braid and an overall PVC Jacket.

NEC RATING: CM/CL2

APPROVALS: (UL) C(UL) Listed or c(ETL)us Listed

APPLICATION: Indoor for: Security Cable - CCTV

Construction Parameters:

Conductor 25 AWG Bare Copper

Stranding Solid

Insulation Material Gas Injected Polyethylene

Insulation Thickness0.085" Nom.Number of Conductors1 Center Conductor

Shield 95% Bare Copper Braid
Jacket Material PVC

Overall Cable Diameter 0.146" Nom.
Approximate Cable Weight 17 Lbs/1M' Nom.

Flame Rating UL 1685

Electrical & Environmental Properties:

Temperature Rating	-20deg C to 60deg C	1	.5
Max.Capacitance Between Conductors @ 1 KHz	16.2 pf/ft Nom.	10	1.80
Velocity of Propogation	82% Nom.	50	3.12
Impedance	75 ohms Nom.	100	4.19
DC Resistance per Conductor @ 20deg C	30 Ohms/1M' Nom.	400	8.59
Jacket Color	Black, Red, Green,		
	Blue, White, Yellow	700	11.14
RoHS Compliant	Yes	1000	14.41

Mechanical Properties:

Max. Recommended Pull Tension28 lbs.Min. Bend Radius (Install)1.5"

Connectors and Accessories

75 ohm BNC Crimp CN-BM74-18 Crimp Tool: TL-105 Strip Tool: TL-825 75 ohm BNC Compression Strip Tool: TL-CSST CN-BNCP-825 Comp. Tool: TL-SNSA Compression RCA Comp. Tool: TL-SNSA Strip Tool: TL-CSST CN-RCP-825 Female BNC Type CN-BF74-18 Crimp Tool: TL-105 Strip Tool: TL-825

Specification Issue Date: 7/06

This document is the property of West Penn Wire. The information contained herein is considered Proprietary and not to be reproduced by any means Without written consent of West Penn Wire Standard Lengths are 1000ft.
The Jacket is sequentially footmarked.
The information presented here is, to the best of our knowledge, is true and accurate. However, since conditions of use are beyond our control, all recommendations or suggestions are presented without guarantee or responsibility on our part. We disclaim all liability in connection with the use of information contained herein or otherwise.